

DARPATech 2000

WolfPack


Dr. Paul Kolodzy Program Manager (pkolodzy@darpa.mil)



WolfPack




- Deny the enemy the use of radio communications (20 to 2,500MHz) throughout the battlespace by a distributed network of emplaced autonomous, cooperative jammers and
- Avoid disruption of friendly/neutral radio communications



Precision, distributed jamming over a 100 km by 100 km area



Location, Network




Range, Selectivity





Distributed Jamming


- Airborne jammers can impact friendly communications (Near-Far Problem)
- WolfPack networked, close-approach jamming concept
 - Precisely reacts to target emitters with low power and energy requirements
 - Significantly reduces Blue communications fratricide





WolfPack Target Signals








Prevent Enemy Reporting and Coordination of Ground Forces






Electronic Counter Measures Mission

- Spectrum Characterization
 - **≻**System detects transmissions
 - Determines network links and nodes, and projects intent
- WolfPack Reaction
 - ▶Prevent (jam) link closure
 - ➤ Exfiltrate enemy emitter information
- Result
 - ➤ Enemy C2 denied and targets identified



Prevent Enemy Detection of Friendly Communication






Electronic Counter Counter Measures Mission

- Spectrum Characterization
 - System detects enemy locations and networks
 - Analyzes friendly networks
- WolfPack Reaction
 - Raise "local noise level" on friendly force frequency
- Result
 - Friendly transmissions and intentions are masked



Disrupt Enemy Integrated Air Defense System





Suppression of Enemy Air Defense Mission

- Spectrum Characterization
 - ➤ System deployment characterizes air defense RF environment
- WolfPack Reaction
 - **→ Deny communication link**
 - >Jam radar receiver
 - ➤ Geolocate/Target RF nodes
- Result
 - ➤ Defeats side lobe canceling, PRI-agile radars



"WolfPack" Technologies



